


Instruction for installation and use of JH-105 baby carrier

- fast/slow selection
- multifunctional remot control
- 2.4G slow boot



Instructions to be read before use

Remember to keep the instruction for further reference


Thank you for choosing this product,

Please read the manual carefully before using it, you can find the correct installation steps and operation methods in it, avoiding damage to the product or injury to your baby due to incorrect operation. Please keep this manual properly in an easily accessible place for future use.

Specifications	Dual drive	Four drive
Storage battery	24V7Ah ×1	24V7Ah ×1
Motor	RS555 DC-24V RPM13500×2	RS555 DC-24V RPM13500×4
Steering motor	RS390SP-24V RPM6600×1	RS390SP-24V RPM6600×1
Charger	DC24V0.8A	24V0.8A
Maximum load	60KG	60KG
Usage time	Continuous use for 1-2 hours after fully charged	Continuous use for 1-2 hours after fully charged
Speed	3-3.5KM/H	3.5-4KM/H
Suitable age	37- -95 months	37-95 months
Remote distance/remote battery	15±5M / AAA1.5V, 2 cells	1 5±5M/AAA1.5V, 2 cells
Body size	165X91X93CM	165X91X93CM
Gross weight	50KG	50KG
Net weight	45KG	45KG

Charging precautions

1. When using the electric baby stroller for the first time, it must be fully charged (4-6 hours, or else the battery will be permanently damaged and cannot be repaired). When charging, the charging cover must be opened first and then insert the plug into the charging jack, and then plug the charger into the power socket. The whole vehicle is not operable while charging (charging must be done by an adult, never let your child touch the power supply)
2. When the speed of the stroller slows down obviously, please charge it immediately, and charge it continuously for 8-12 hours but not more than 15 hours
3. It is normal for the charger or the battery to emit heat (below 60°) during the charging process. But if it is overheated, check whether the charging current is too large or the internal short circuit of the battery.
4. This stroller must be used with the special charger and battery equipped with this vehicle, avoiding damaging the charger, battery and electrical circuits.
5. Do not do any operation when the electric car is charging.
6. Please don't mix new and old batteries or different types of batteries.
7. When charging the stroller, please check whether the line is connected correctly
8. When the electric vehicle is not used for a long time, it must be charged at least once a month. (Guarantee the battery life)
9. The charger and batteries are not toys, and children are not allowed to play with them.



1	Body	1	7	Windshield frame	1	13	Spare tire	1
2	Front bumper	1	8	Reflector	1	14	Search light stand	1
3	Drive motor	2/4	9	Steering wheel	1	15	Flagstaff socket	1
4	Tire	4	10	Seat	3	16	Three small pieces of tail bumper decoration	1
5	Wheel cover	4	11	Backrest	3			
6	Rear axle	1	12	Spare tire mount	1			

Note: After unpacking, be sure to check the packing components carefully!

Safe use rules


- This product is not applicable for children under 3 years old and over 8 years old.
- This car must be assembled by an adult, and there is a danger of sharp points such as screw cotter pins before assembly!
- During the assembly process, please check whether the components and circuits are assembled correctly.
- This stroller is forbidden to be used in dangerous places such as public transportation roads and landslides.
- Children must use it under adult supervision.
- When using the stroller, please do not modify the device casually.
- When in use, do not frequently switch forward and reverse functions.
- Please check regularly whether the battery, circuit, plug and other parts are damaged. If there is any damage, please stop using it in time, and it can not be used again until it is repaired.

Warn!

When changing gears, please make sure the vehicle has come to a complete stop to avoid damage to gears and motors

Non-rechargeable batteries cannot be charged. • Batteries must be inserted with the correct polarity.


- Spent batteries must be removed from the toy. • Do not short-circuit the power terminals.
- The charging must be conducted by an adult, and children are not allowed to touch the power supply. When the stroller is operated by remote control, the distance between the adult and the child's stroller should not exceed 10M.
- Be careful not to let children stand on the seat.
- This car is equipped with a safety belt, please guide children to fasten the safety belt when using it to guarantee safety.



1. Install the front bumper and fix the steering frame

a: Align the holes of the upper and lower iron sheets first, and fix it with 1 M6*12 screw and M6 nut;


b: Insert the front bumper into the body hole as shown in the figure, and then lock it with 8 M4*12 flat head screws.



2. Fix the rear support frame and install it into the rear axle

a: After aligning the holes on the rear drawer support bracket with the fixing holes of the suspension spring as shown in the figure, insert an inner hexagon fixing screw, and finally lock and fix it with the inner hexagon nut.

b: Insert the rear axle



3. Install front and rear wheels

As shown in the figure, first install the drive motor and the wheel into the iron shaft in sequence; then put a gasket on each outside, and lock it with an M10 anti-loosening nut, and finally snap the wheel cover on the outside of the nut.

4. Steering wheel and seat installation

a: After inserting the steering wheel into the steering hook as shown in the figure, and aligning the holes of the steering wheel with the holes of the steering iron, insert an M5 screw, and tighten the nut.

b: Place the front and rear seats on the vehicle body as shown in the figure, and finally lock and fix them with 10 M4*12 flat head screws.

c: Insert the front and rear seat backs into the holes in the body as shown in the figure.

(Note: Please refer to the attached picture for seat back disassembly)

5. Windshield, left and right reflectors and search light brackets installation

a: Just insert the left and right reflectors into the body as shown in the figure;

b: Insert the windshield into the car body slot as shown in the figure;

c: Fix the three-in-one search light with two M3X12 screws, and insert it into the hole on the car body.

6. Rear spare tire, flagstaff socket and the small decorative parts of tail bumper installation

a: As shown in the figure, install the spare tire, flagstaff socket, and small decorative parts of tail bumper installation on the rear of the car.



Loosen the battery cover screw



Insert two AAA1.5V/7 batteries

7.2.4G Remote control manual

Code pairing is required for the first use, memory is stored in this product, and no code pairing is required when the battery is replaced in the future.

1. Turn off the power of the body, press and hold the "M" button on the remote control, the first indicator light will start to flash after 3 seconds, and release the button.

2. At this time, turn on the power switch of the car body, the first indicator light of the remote control will become continuously on, and the code pairing is successful.

3. The remote control will enter the dormant state after 10 seconds when it is not in use, press any key to wake it up.

4. Button function description: "△" forward, "▽" back "◀" left turn, "▶" right turn, "S" speed control, "P" brake.

Press the "S" key to set the vehicle speed, one light is on for low speed, two lights are on for medium speed, three lights are all on for high speed, and only medium speed is available when reversing.


Press the "P" key to enter the braking state, all the indicator lights will flash, and press the "P" key again to exit the braking state.

Warn! This is not suitable for children under 3 years old, as there are small parts inside, which indicates a choking hazard.


- Insert two AAA/size 7 (1.5V) dry batteries according to the instructions in the picture.
- The batteries cannot be recharged when using non-rechargeable batteries.
- Different types of batteries or old and new batteries cannot be mixed.
- Batteries must be inserted according to the positive and negative polarity indicated in the diagram.
- When the battery power is exhausted, remove it from the product in time.
- The positive and negative terminals of the power supply cannot be short-circuited.
- Important information is contained in the packaging of this product, please be sure to keep it.

8. Charging indicator diagram

- a: When the voltage displayed on the right side of the instrument panel is less than 10v, the power is insufficient, please charge the battery in time, the charging box is inside the hood as shown in the figure;
- b: When charging, the whole vehicle is in the charging protection state, and the power supply of the vehicle cannot be started; after the charging hole of the charger is pulled out from the charging base of the vehicle body, the whole vehicle is adjusted to the normal mode.



9. Instruction map of vehicle functions



- a: Power switch --- (1) The car is powered on, the lighting system is on, accompanied by the sound of the engine; (2) The instrument panel is equipped with a music function operator, which can be connected to a mobile phone Bluetooth device, the volume can be adjusted, and has power display and other functions.
- b: Steering wheel---(1) The steering wheel is equipped with music buttons.
- c: Lighting system one-button switch---(1) The light can be turned on and off.
- d: High and low speed switch --- (1) This car can be switched freely between high and low speeds, and has different driving pleasures.



Troubleshooting

Fault type	Cause analysis	Solution
The car does not move	The battery voltage is too low	Charge the battery now
	Battery damage	New battery
	Line connector slipped	Reconnect the connector
	Motor damage	Take to dealer for repair or replacement
	Wheel latch missing	Equipped with new latches
	Protector damaged	Replace protector
	Power not turned on	Turn on the main power switch
The car is driving slowly	The battery is not fully charged	Fully recharge the battery
	Motor damage	Replace the motor
	Uneven road	Driving on flat ground
	Car load is too heavy	Please reduce the load capacity of the car
	Old battery	Replace with new battery
Can't charge the battery	Damaged charger or battery	Replace with a new charger or battery
	Damaged charger socket	Replace with a new socket
	The charger is not powered	Plug the charger into a power source
Short range	The battery is not fully charged	Fully recharge the battery
	The battery is too old	Replace with new battery
Car shakes while driving	Poor motor contact	Reconnect the line
	There is a dead point on the motor	Repair at dealership
Noise when driving	Gearbox damage or lack of oil	Replace the gearbox or add oil
	Motor damage	Replace with new motor





Precautions for Use

- The product must be properly assembled by an adult before use.
- This product is not suitable for children under the age of 3 and over the age of 8.
- The battery must be charged by an adult, and it must be charged before using this product.
- When using the stroller for the first time, the battery must be fully charged for 10 hours! Otherwise, the battery will be permanently damaged and cannot be repaired.
- Please do not use it in dangerous places on public transportation roads, and it must be used under adult supervision.
- This product is limited to three people and cannot be overloaded. The maximum load capacity is 60kg
- Please fasten the seat belt when using it, and make sure your baby is always sitting in the seat, and don't let your baby stand or do some dangerous actions while running.
- Do not change the forward/backward switch suddenly while the stroller is running.
- To prevent collision with valuables, please do not use it in a relatively narrow space, avoid damaging the electric scooter.
- Please check the product and the charger used regularly to see if the wires, plugs, shell packaging and other parts are damaged. If any damage is found, stop using it and use it after repairing it.
- When not in use for a long time, please turn off the power and unplug the battery connector.
- Children must use it under adult supervision.
- Safe use period: three years.